

## **TOLI Carpet Tile**

## ALTGLAN <GX-3800>



GX3802 7 colorways available



GX3806 / MT3816F

Technical Specifications	
Product Description	Nylon Tufted Carpet Tile
Surface	BCF Nylon100%
Dyeing Method	Piece Dyed
Stain Protection	Stain Release (Antifouling Finished)
Base Fabric	Nonwoven Polyester
Backing	PVC and Glass Fiber
Size	500mm x 500mm x 8.5mm
Pile Height	H5.5mm/M4.0mm/L3.0mm (textured loop pile : tip sheared)
Gauge & Stitches	1/10 <sup>th</sup> gauge 11.5 stiches/inch
Yarn Weight	21.5 oz/sq.yd
Packing & Net Weight	16pcs/box=4m²/box (20.0kg/box)
Origin	Made in Japan
Performance Testing	
Antistatic Property	Less than 1.0kv (JIS L 1021-16, at 23 degrees C, 25%RH)
Electrostatic Propensity	Maximum Average 2.0kv (AATCC 134)
Critical Radiant Flux	
Official National Flux	Class 2 Average CRF 0.22/cm2 or higher (ASTM E648)
Smoke Density	Class 2 Average CRF 0.22/cm2 or higher (ASTM E648) Less than 450 (ASTM E662)
Smoke Density	Less than 450 (ASTM E662)
Smoke Density Surface Flammability Flame-retardant Property Dimensional Stability	Less than 450 (ASTM E662) Passes DOC FF 1-70 (ASTM D2859)
Smoke Density Surface Flammability Flame-retardant Property Dimensional Stability Abrasion Resistance	Less than 450 (ASTM E662)  Passes DOC FF 1-70 (ASTM D2859)  Fire Defense Law in Japan Authorized No. E2150027
Smoke Density Surface Flammability Flame-retardant Property Dimensional Stability	Less than 450 (ASTM E662)  Passes DOC FF 1-70 (ASTM D2859)  Fire Defense Law in Japan Authorized No. E2150027  Less than 0.1% change (ASTM D7570)
Smoke Density  Surface Flammability  Flame-retardant Property  Dimensional Stability  Abrasion Resistance by Hexapod Tumble Drum Tester	Less than 450 (ASTM E662)  Passes DOC FF 1-70 (ASTM D2859)  Fire Defense Law in Japan Authorized No. E2150027  Less than 0.1% change (ASTM D7570)  Appearance Rating 2.5 / Color Change Rating 2.5 (ASTM D5252)  8.9 Lbs. (ASTM D1335)
Smoke Density  Surface Flammability  Flame-retardant Property  Dimensional Stability  Abrasion Resistance by Hexapod Tumble Drum Tester  Tuft Bind	Less than 450 (ASTM E662)  Passes DOC FF 1-70 (ASTM D2859)  Fire Defense Law in Japan Authorized No. E2150027  Less than 0.1% change (ASTM D7570)  Appearance Rating 2.5 / Color Change Rating 2.5 (ASTM D5252)

Way of Installation





quartor turn	mononino
Environmental Certificate	
CRI Green Label Plus	GLP9978
Product Notes	

Specifications are subject to nominal manufacturing variances.

Material supply and/or manufacturing processes may necessitate changes without notice. Colors may vary slightly from dye lot to dye lot.

The use of chair pads under roller caster chairs may be required in order to maintain sufficient performance of the product.