豊由多加

TOLI CARPET TILE

YUTAKA**2000**

YU-2100
URBAN HARMONY / **YU-2200**
NATURE CRESCENDO / **YU-2300**
EARTH RHYME

Vol. 2

MADE IN JAPAN

TOLI

YU2123 / YU2125 / YU2126 / YU2132

由多加

YUTAKA **2000** SERIES

YU-2100

URBAN HARMONY p.3-4

夢 由多加 YU TA KA

MADE IN JAPAN

The history of “TOLI” originated with the production and distribution of “YUTAKA-ORI” back in 1889.“YUTAKA-ORI” was the elaborate designed plain-woven rug using rice straw. It was exported to overseas as a valuable handicraft at the time, which had greatly contributed to the economic growth of modern Japan.
Since then, “YUTAKA” is a significant name to us, which stands for “Origin”, “Tradition”, and “Pride” of TOLI Corporation.
After more than one century from that era, “YUTAKA” has been revived as the carpet tile product “YUTAKA collection”.
We TOLI Corporation have persisted in “manufacturing” over a century, and all our technologies are condensed in this “YUTAKA collection”.
We believe TOLI carpet tile “YUTAKA collection” will definitely contribute to the creation of sophisticated spaces.

YUTAKA2000

YUTAKA 2000 is a design-oriented modular carpet.
YU-2100 “URBAN HARMONY”, featured by its high-quality deep striped pattern, harmonizes well with stylish furniture, and creates a high-end urban office space. YU-2200 “NATURE CRESCENDO” has vibrant gradation inspired by expressive nature. Beautiful colors symbolizing ocean, forest, and ground will stand out more in spacious areas. YU-2300 “EARTH RHYME” owns refined pattern made by overlapping many lattice designs. Earth-look texture will create a unique rhythmic floor image, just like a rhyme.
Stylish office space and elegant hospitality atmosphere can be effectively created by YUTAKA 2000.

YU-2200
NATURE CRESCENDO p.5-6



YU-2300
EARTH RHYME p.7-8



YU-2100

URBAN
HARMONY

High-quality deep striped pattern made by elaborate mixture of differently-dyed multiple yarns. It harmonizes well with stylish furniture, and creates a high-end urban office space.

YU2121 / YU2122 / YU2125 / YU2130

YU2122 NEW

YU2123 NEW

YU2125 NEW

YU2126 NEW

YU2121 NEW

YU2132 NEW

YU2133 NEW

YU2131 NEW

YU2128 NEW

YU2130 NEW

YUTAKA YU-2100 URBAN HARMONY

Quarter Turn

Composition	surface	BCF Nylon 100%
	dye method	Piece Dyed
	stain protection	Stain Release (Antifouling Finished)
	base fabric	Nonwoven Polyester
	backing	PVC and Glass Fiber
Specification	size	500mm × 500mm × 7.3mm
	pile height	H5.0mm / L3.5mm(textured loop pile)
	gauge & stitches	1/10th gauge, 11.2 stiches/inch
Packing & Net Weight		16pcs/box=4m^2/box (21.0kg/box)
CRI Green Label Plus Certification		GLP9978
Performance Testing	test method	
Electrostatic Propensity	AATCC 134	0.9 kv
Critical Radiant Flux	ASTM E648	Class 2 Average CRF 0.22/cm^2 or higher
Smoke Density (flaming)	ASTM E662	Less than 450
Surface Flammability	ASTM D2859	Passes CPSC FF 1-70
Dimensional Stability	ASTM D7570	Less than 0.1% change
Abrasion	ASTM D5252	appearance 2.0 color change 2.5
Tuft Bind	ASTM D1335	9.6 Lbs.
Delamination Strength	ASTM D3936	Construction will not allow for delamination.
Colorfastness to Light	AATCC 16	Rating 5.0 = No Change

● Cushion-backing option "SOFT BACK PLUS" is also available.
For more information, please contact TOLI sales rep.

YU-2200

NATURE
CRESCENDO

Vibrant gradation
inspired by expressive nature.
Beautiful colors symbolizing
ocean, forest, and ground
will stand out more in spacious areas.

YU2222 / YU2224

YU2222 / YU2224 / YU2225 / YU2226

YU2221 NEW

YU2222 NEW

YU2223 NEW

YU2224 NEW

YU2225 NEW

YU2226 NEW

YUTAKA YU-2200 NATURE CRESCENDO

Monolithic Quarter Turn

Composition	surface	BCF Nylon 100%
	dye method	Piece Dyed
	stain protection	Stain Release (Antifouling Finished)
	base fabric	Nonwoven Polyester
	backing	PVC and Glass Fiber
Specification	size	500mm × 500mm × 7.3mm
	pile height	H5.0mm / L3.5mm(textured loop pile)
	gauge & stitches	1/10th gauge, 11.2 stiches/inch
Packing & Net Weight		16pcs/box=4m^2/box (21.0kg/box)
CRI Green Label Plus Certification		GLP9978
Performance Testing	test method	
Electrostatic Propensity	AATCC 134	1.1 kv
Critical Radiant Flux	ASTM E648	Class 2 Average CRF 0.22/cm^2 or higher
Smoke Density (flaming)	ASTM E662	Less than 450
Surface Flammability	ASTM D2859	Passes CPSC FF 1-70
Dimensional Stability	ASTM D7570	Less than 0.1% change
Abrasion	ASTM D5252	appearance 2.5 color change 2.0
Tuft Bind	ASTM D1335	9.0 Lbs.
Delamination Strength	ASTM D3936	Construction will not allow for delamination.
Colorfastness to Light	AATCC 16	Rating 5.0 = No Change

● Cushion-backing option "SOFT BACK PLUS" is also available.
For more information, please contact TOLI sales rep.



YU-2300

EARTH RHYME

Refined pattern
with a sense of depth
by overlapping many lattice designs.
Earth-look texture will create
a unique rhythmic floor image,
just like a rhyme.

YU2322 / YU2323

YU2321 / YU2323

YU2321 NEW



YU2323 NEW

YU2322 NEW

YUTAKA YU-2300 EARTH RHYME

Monolithic Quarter Turn

Composition	surface	BCF Nylon 100%
	dye method	Piece Dyed
	stain protection	Stain Release (Antifouling Finished)
	base fabric	Nonwoven Polyester
	backing	PVC and Glass Fiber
Specification	size	500mm × 500mm × 7.3mm
	pile height	H5.0mm / L3.5mm(textured loop pile)
	gauge & stitches	1/10th gauge, 11.2 stiches/inch
Packing & Net Weight		16pcs/box=4m^2/box (21.0kg/box)
CRI Green Label Plus Certification		GLP9978
Performance Testing	test method	
Electrostatic Propensity	AATCC 134	1.0 kv
Critical Radiant Flux	ASTM E648	Class 2 Average CRF 0.22/cm^2 or higher
Smoke Density (flaming)	ASTM E662	Less than 450
Surface Flammability	ASTM D2859	Passes CPSC FF 1-70
Dimensional Stability	ASTM D7570	Less than 0.1% change
Abrasion	ASTM D5252	appearance 2.0 color change 2.5
Tuft Bind	ASTM D1335	8.6 Lbs.
Delamination Strength	ASTM D3936	Construction will not allow for delamination.
Colorfastness to Light	AATCC 16	Rating 5.0 = No Change

● Cushion-backing option "SOFT BACK PLUS" is also available.
For more information, please contact TOLI sales rep.

Installed with tackifier × Meter Module

YUTAKA SERIES and Loose Lay Tile (NW-EX SERIES) offer infinite possibilities.

Designed to be installed together

Loose Lay Tile LL Free 50NW-EX and LL Free 40NW-EX have both won the Good Design Award.

❶ Installed with tackifier

Both YUTAKA SERIES and Loose Lay Tile (NW-EX SERIES) can be installed with the same tackifier adhesive. Because of that, the tiles can be easily replaced.

❷ Same-sized Module

Due to the same-sized module (1m), both products can be installed together. The surface of carpet has been designed to be a little thick because your feet sink into the pile when you step on it.



❸ Same Way of Maintenance

Loose Lay Tiles of NW-EX SERIES do not need any wax application, so they can be cleaned along with the carpet using a vacuum cleaner.

*NW-EX SERIES repels wax liquids. Please do not use any wax coating for maintenance.

YU5203V / TTN3212

YU2121 / YU2122 / YU2128 / TTN3125

YUTAKA SERIES Custom Colors

Available for Post-dyed Ranges

TOLI's post-dyeing technology based on long-term experience of producing YUTAKA SERIES can recreate any custom color you want.

Color Control based on our own know-how

We can freely control the hue and density of the color using TOLI's post-dyeing technology based on long-term experience of producing YUTAKA SERIES. Post-dyeing can provide the most flexible color matching to the color you need.

Reliable Quality of YUTAKA SERIES

Excellent color-fastness will not cause any color-changing nor color-fading for general of office use. The surface is stain-release finished using fluororesin.

Order Requirements

Minimum Required Qty for Custom Colors is 300m² per color. It is the advantage of post-dyed products that the custom colors can be produced even for small projects.

Pale Orange (YU1162) / YU1121 / YU1133

〈Order Process〉

The customer will check the actual sample of dyed fabric.

Approx. 3 weeks

Request from the customer ▶ **Custom sample prepared by TOLI** ▶ **Confirmation by the customer** ▶ **Order from the customer** ▶ **Ready to be shipped out**

Please prepare the target color you want to have.Color-matching can be also done based on PANTONE or other color charts.

After the color, lead time, and price are confirmed, please place the purchase order.
*The price and lead time may change according to the ordered quantity. Please check in advance before you place the firm order.

⚠ Remarks

- Please bear in mind that there may be a slight color difference between the color target sample and the actual product.
- We may require extra time for production, depending on the order volume.
- Please be sure to check the price and delivery time when placing an order.
- For some specific colors (such as too light colors), we may not be able to meet your requirements due to the manufacturing process and/or quality reasons.

Purple (YU2162) / YU2121 / YU2122 / YU2125

Blue Green (YU2262) / YU2222 / YU2226

Light Gray (YU2361) / Charcoal (YU2363)

YU5102V / Orange (YU5162V) / Yellow (YU5163V)

Examples of YUTAKA SERIES Custom Colors

Base Material

= custom color

YU-1100 pattern



1 Pale Yellow

2 Pale Orange

3 Pale Pink

4 Pale Purple

5 Pale Blue

YU-2100 pattern



6 Yellow Beige

7 Carrot Orange

8 Crimson

9 Purple

10 Indigo

YU-2200 pattern



11 Beige

12 Mustard

13 Elm Green

14 Blue Green

15 Blue

YU-2300 pattern





16 Light Gray



17 Gray



18 Dark Gray



19 Charcoal

20 Black

YU-5100V pattern



21 Red

22 Orange

23 Yellow

24 Matcha Green



25 Cobalt Blue

*For YUTAKA SERIES (post-dyed ranges), any custom color can be made to your preference.
When you need the colors other than listed above, please contact TOLI sales reps.

YUTAKA**1000** SERIES

YUTAKA 1000 is an easy-to-use modular carpet with the classic linear pattern.
YU-1100, inspired by Japanese traditional “Shima Moyo”,
will create a basic modern space in quarter turn installation.
YU-1200, where stripes are more blended in with the base,
can be well coordinated and convey more chic feeling.
YU-1300, characterized by its vivid pinstripes on the charcoal base,
will produce an expressive floor image.
As the standard product for office and corporate segment, YUTAKA 1000 is well received in many projects.

YU-1100

YU-1300



YUTAKA**5000PLANK** SERIES

The current 25cm x 100cm plank carpet tiles had been officially launched by TOLI Corporation Japan
back in 2006 for the first time in the world.
This alternative size was highly inspired by our own wood-look vinyl plank tiles,
and enjoyed a good reputation as the innovative solution for more flexible floor layouts.
We have kept this particular size only in our high-end GX series for years,
but now it’s high time to put it in the export range as YUTAKA5000 PLANK.
This amazing pair YU-5100V IKEMEN-slim block- and YU-5200V OTOME -shades of dream-
will expand the possibility of stylish floor designs such as ashlar, herringbone,
1m x 1m parquet, combination with 50cm x 50cm, and much more.

YU-5100V **IKEMEN -slim block-**



YU-5200V **OTOME -shades of dream-**



Stain Release -Antifouling Finished-

TOLI nylon carpet tile products have Stain Release property by fluoridation. Because of its antifouling effect, stains are not easily stuck to the surface and a good appearance can last. It also shows an excellent water & oil repellent performance. Even if water or oil is spilt, the surface of the tiles will repel them. Once you wipe them off, the stain cannot be left.

■ Results of Water-Repellent Testing

(a) Carpet Tile with Stain Release



(b) Carpet Tile without Stain Release

On the carpet tile without Stain Release (b), the fluid will promptly sink into the surface, but the carpet tile with Stain Release (a) shows excellent repelling performance.

Notes on Installation

◆ Apply the adhesive on the whole surface of the sub-floor thinly and evenly. After drying, when the adhesive becomes translucent, install the tiles. Be careful not to put the tiles too tightly.

◆ The stripes differ in position on a tile-by-tile basis so that they will not be exactly connected between the tiles (please refer to the installation image).

◆ In Quarter Turn installation, sometimes the crossover point of joints may appear to be misaligned. That is an optical illusion, not a manufacturing defect.

Recommended Adhesive from TOLI

TOLI ECO GA Cement

(required quantity)

for steel or plastic sub-floor : 40 to 60 gram/㎡

for mortar and wood sub-floor : 60 to 100 gram/㎡

Storage

When you store the products, do not pile up more than 6 boxes for a better preservation.

Others

Please note that the product has the indigenous odor from its materials.

Function Marks

Stain-Resistant　Flame-Retardant　Antistatic

由 YU

多 TA

加 KA

TOLI Corporation - Global Department
2-10-4 Higashi-Shinbashi Minato-ku Tokyo
105-0021 Japan
Phone : +81-3-5403-2078
Fax : +81-3-5472-6307
http://toli-overseas.com/

TOLI Corporation Singapore Branch
1 Coleman Street #05-02 (Unit1), The Adelphi,
Singapore 179803
Phone : +65-3138-5052
Fax : +65-6491-5234
http://toli-overseas.com/

TOLI (SHANGHAI) Corporation
Room 314, Building 1, No.55 Yuyao Rd., Jingan,
Shanghai 200040 China
Phone : +86-21-6071-0688
Fax : +86-21-6071-0560
http://cn.toli-overseas.com/

ISO 9001 CERTIFIED SINCE 1998

TOLI Corporation is certified according to ISO9001.

ISO 14001 CERTIFIED SINCE 2015 CARPET TILE Shiga TOLI / Gifu TOLI

TOLI Corporation is certified according to ISO14001 for carpet production.

http://toli-overseas.com/

Please visit our website to see E-catalogue and Library where the images can be picked up.